
Contents

- | | | | |
|-----|---|-----|--|
| 113 | Synthetic alexandrites grown by the HOC method in Russia: internal features related to the growth technique and colorimetric investigation <i>K. Schmetzer, H.-J. Bernhardt, W.A. Balmer and T. Hainschwang</i> | 161 | Liquid hydrogen sulphide (H ₂ S) fluid inclusions in unheated tanzanites (zoisite) from Merelani, Tanzania: Part 2. Influence on gem integrity during and after heat treatment <i>A.H. Rankin, D. Taylor and P. J. Treloar</i> |
| 131 | Structural features of new varieties of freshwater cultured pearls in China <i>Li Liping and Wang Min</i> | 170 | Abstracts |
| 137 | Titanium-bearing synthetic alexandrite and chrysoberyl <i>K. Schmetzer, H.-J. Bernhardt and T. Hainschwang</i> | 172 | Book Reviews |
| 149 | Liquid hydrogen sulphide (H ₂ S) fluid inclusions in unheated tanzanites (zoisite) from Merelani, Tanzania: Part 1. Recognition, characterization and gemmological importance <i>D. Taylor, A.H. Rankin and P. J. Treloar</i> | 176 | Proceedings of The Gemmological Association of Great Britain and Notices |

Cover Picture: Multiphase vapour-liquid-solid inclusions in unheated tanzanite from Merelani, Tanzania. (See 'Liquid hydrogen sulphide (H₂S) fluid inclusions in unheated tanzanites (zoisite) from Merelani, Tanzania: Part 2. Influence on gem integrity during and after heat treatment', page 161.)

The Gemmological Association of Great Britain

21 Ely Place, London EC1N 6TD, UK

T: +44 (0)20 7404 3334 **F:** +44 (0)20 7404 8843

E: information@gem-a.com **W:** www.gem-a.com

